


ate



I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:
Commissioner for Patents, Attention: Certificate of Correction Branch, P.O. Box 1450, Alexandria, VA 22313-1450 on August 16, 2004

William R. Allen

William R. Allen, Reg. No. 48,389

16 August 2004

Date

PATENT

Certificate
AUG 20 2004
of Correction

In re Patent of:	Per-Åke Johansson et al.
Patent No.:	6,757,065 B1
Issue Date:	June 29, 2004
Serial No.:	09/890,056
Filed:	January 8, 2002
Title:	METHOD OF DETERMINING AN ILLUMINATED SURFACE
Atty Docket No.:	STOCK-02

Cincinnati, OH

August 16, 2004

Commissioner for Patents
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKES (37 C.F.R. § 1.322(a))**

Sir:

It is respectfully requested that a Certificate of Correction be issued for the patent identified in the heading. The patent contains printing errors that occurred through the fault of the Patent Office as follows:

Column 1

Line 21, change "lest" to -test--.

AUG 23 2004

Column 2

Line 49, change "where α is the angle" to read --where α is the angle--.

Column 3

Line 26, change "(in the form of 2μ)" to read --(in the form of $2\pi iu$)--.

Column 4

Line 15, change "where γ is the angle" to read --where γ is the angle--.

Line 41, change "according to, FIGS. 9A and 9B" to read --according to FIGS. 9A and 9B--.

Column 5, Claim 1

Line 30, change "tanY" to read --tan γ --.

Line 33, change "where Y is the angle" to read --where γ is the angle--.

In accordance with the established procedure for handling such certificates, two copies of PTO-1050 are enclosed herewith listing the errors.

Applicants do not believe that any other fees are due in connection with this response. However, if such petition is due or any other fees are necessary, the Commissioner may consider this to be a request for such and charge any necessary fees to deposit account 23-3000.

Respectfully submitted,
WOOD, HERRON & EVANS, L.L.P.

By: William R. Allen
William R. Allen, Reg. No. 48,389

2700 Carew Tower
Cincinnati, OH 45202
(513) 241-2324

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,757,065 B1

DATED : June 29, 2004

INVENTOR(S) : Per-Åke Johansson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 21, change "lest" to --test--.

Column 2

Line 49, change "where α is the angle" to read --where α is the angle--.

Column 3

Line 26, change "(in the form of 2 mu)" to read --(in the form of $2\pi iu$)--

Column 4

Line 15, change "where y =the angle" to read --where γ = the angle--.

Line 41, change "according to, FIGS. 9A and 9B" to read --according to FIGS. 9A and 9B--.

Column 5, Claim 1

Line 30, change "tanY" to read --tan γ --.

Line 33, change "where Y is the angle" to read --where γ is the angle--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 6,757,065 B1
No. of add'l copies
@ 50¢ per page:

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,757,065 B1

DATED : June 29, 2004

INVENTOR(S) : Per-Åke Johansson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 21, change "lest" to --test--.

Column 2

Line 49, change "where α is the angle" to read --where α is the angle--.

Column 3

Line 26, change "(in the form of 2 mu)" to read --(in the form of $2\pi iu$)--

Column 4

Line 15, change "where y =the angle" to read --where γ = the angle--.

Line 41, change "according to, FIGS. 9A and 9B" to read --according to FIGS. 9A and 9B--.

Column 5, Claim 1

Line 30, change "tanY" to read --tan γ --.

Line 33, change "where Y is the angle" to read --where γ is the angle--.

MAILING ADDRESS OF SENDER:

Wood, Herron & Evans, L.L.P.
2700 Carew Tower
441 Vine Street
Cincinnati, OH 45202-2917

PATENT NO. 6,757,065 B1
No. of add'l copies
@ 50¢ per page:

SUBSTITUTE FORM PTO76-22

'AUG 23 2004